Gandhidham, India.

MATERIAL SAFETY DATA SHEET

SECTION 1 - CHEMICAL PRODUCT AND COMPANY INDENTIFICATION

PRODUCT NAME : **PAINT BALL 50 Caliber.**

PRODUCT USE/CLASS : Marking for Sport

SUPPLIER: MANUFACTURER:
Gelkaps Sports Pvt. Ltd. Gelkaps Sports Pvt. Ltd.
Plot no. 265, 266 & 267,
KASEZ, Gandhidham, KASEZ, Gandhidham,

EMERGENCY CONTACT FOR 24 HRS. EMERGENCY CONTACT FOR 24 HRS.

EMERGENCY TELEPHONE +91 9909035360 EMERGENCY TELEPHONE +91 9909035362

SECTION 2 - COMPOSITION / INFORMATION ON INGREDIENTS

No Hazardous materials are contained in this product.

SECTION 3 - PHYSICAL DATA

BOILING RANGE : N.A.

ODOR : Not Objectionable.

APPEARANCE : Coloured. SOLUBILITY IN H2O : Partial

VAPOR DENSITY : Is Lighter than air.

EVAPORATION RATE : Is slower than Butyl Acetate.

VOLATILE CHEMICAL BY WEIGHT: 0.0% VOLATILE CHEMICAL BY VOLUME: 0.0%

SECTION 4 - FIRE AND EXPLOSION HAZARD DATA

FLASH POINT : More than 150 Deg C. LOWER EXPLOSIVE LIMIT : N.A UPPER EXPLOSIVE LIMIT: N.A.

EXTINGUISHING MEDIA: CO2 DRY CHEMICAL FOAM WATER FOG

UNUSUAL FIRE AND EXPLOSION HAZARDS: None known.

SPECIAL FIREFIGHTING PROCEDURES: As in any fire, wear self-contained breathing apparatus pressure-demand (MSHA/NIOSH approved or equivalent) and full protective gear.

Plant : Plot no. 265,266,267, Kandla Special Economic Zone (KASEZ), Gandhidham 370 230, Gujarat, India. Phone : 91 2836 253532, 253436 253435, 253533.

Gandhidham, India.

SECTION 5 - HEALTH HAZARD DATA

EFFECTS OF OVEREXPOSURE -

EYE CONTACT: Essentially nonirritating to eyes.

OVEREXPOSURE - SKIN CONTACT: Essentially nonirritating to skin.

OVEREXPOSURE - INHALATION: Vapors are unlikely, due to physical properties.

OVEREXPOSURE - INGESTION: No hazard in normal industrial use.

OVEREXPOSURE - CHRONIC HAZARDS: Based on available data, repeated exposures are not anticipated to cause any significant adverse effects.

FIRST AID -

EYE CONTACT: Flush eyes thoroughly with water for 15 minutes. Get immediate medical attention.

SKIN CONTACT: Wash skin with soap and water. If irritation develops, get medical attention.

FIRST AID - INHALATION: N.A.

INGESTION: Induce vomiting if large amounts are ingested. Consult medical personnel.

PRIMARY ROUTE(S) OF ENTRY: EYE CONTACT

SECTION 6 - REACTIVITY DATA

HAZARDOUS DECOMPOSITION PRODUCTS: Thermal decomposition may yield carbon dioxide and/or carbon monoxide.

PREFERRED CONDITION OF STORAGE : Paintballs must be stored in temperature above 15 Deg C (59 Deg F)and less than 25 Deg C (77 Deg F).

Do not store Paintballs in direct sunlight.

For best results, protect from freezing and keep below 60% relative humidity in its original packing.

Failure to comply with the above may affect the performance and quality of these paintballs.

INCOMPATABILITY: Avoid contact with: strong oxidizing agents.

HAZARDOUS POLYMERIZATION: Will not occur under normal conditions

STABILITY: This product is stable under normal storage conditions.

Plant : Plot no. 265,266,267, Kandla Special Economic Zone (KASEZ), Gandhidham 370 230, Gujarat, India. Phone : 91 2836 253532, 253436 253435, 253533.

Gandhidham, India.

SECTION 7 - SPILL OR LEAK PROCEDURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Spills should be contained and placed in suitable containers for disposal in accordance with Federal and State Laws.

WASTE DISPOSAL METHOD: Dispose of in accordance with all local, state and federal regulations.

SECTION 8 - SAFE HANDLING AND USE INFORMATION

Do not shoot this product at a range of less than 06 meters (20 ft.).

RESPIRATORY PROTECTION: None needed

VENTILATION: Use good general ventilation.

SKIN PROTECTION: None needed.

EYE PROTECTION: Impact resistant Safety goggles that will withstand a paintball impact at 325 feet per second are required

OTHER PROTECTIVE EQUIPMENT: Protective head gear is required! Eyes, ears, and head in general must be protected from impact!

HYGENIC PRACTICES: Wash hands before eating or smoking. Liquid is removed with warm water and soap.

Failure to adhere to the above safety instructions may result in serious bodily injury.

<u>SECTION 9 - SPECIAL PRECAUTIONS</u>

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE: Store away from incompatible substances. Keep from freezing. Keep container closed when not in use. Recommended storage conditions are 59 to 77 Deg. Fahrenheit and relative humidity of 30% to 50%. Keep products sealed tight after opening container. Prolonged exposure to uncontrolled environment will cause degradation of the product.

OTHER PRECAUTIONS: Keep away from children.

Do not take internally. Washable Paintballs are not toxic, however ingestion may cause diarrhea. Do not aim or shoot pellets towards the head or neck of persons or animals.

SECTION 10 - HMIS RATINGS

HMIS RATINGS - HEALTH: 1 FLAMMABILITY: 1 REACTIVITY: 0

Plant : Plot no. 265,266,267, Kandla Special Economic Zone (KASEZ), Gandhidham 370 230, Gujarat, India. Phone : 91 2836 253532, 253436 253435, 253533.

Gandhidham, India.

SECTION 11 - OTHER REGULATIONS

SARA SECTION 313: This product contains the following substances subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372:

No SARA Section 313 components exist in this product.

LEGEND: N.A. - Not Applicable, N.E. - Not Established, N.D. - Not Determined

SECTION 12 – Regulatory Information

Nothing to declare.

SECTION 13 – Information about Transport.

The product is not classified dangerous for the transport.

SECTION 14 – Considerations about the disposal.

Not applicable.

SECTION 15 – Identification of the dangers.

Emergency overview: This product is intended for recreational purpose, not intended for human use. Main risks: the product is not dangerous and toxic in the normal use. Potential health effects: none expected with the occupational handling of this product.

SECTION 16 - Other Information.

Gelkaps Sports Pvt. Ltd. expressly disclaims all expressed or implied warranties of merchantability and fitness for a particular purpose, with respect to the product or information provided herein.

All information appearing herein is based upon data obtained from the manufacturer and/or recognized technical sources. While the information is believed to be accurate. Users are responsible to verify this data under their own operating conditions to determine whether the product is suitable for their particular purposes and they assume all risks of their use, handling, and disposal of the product, or from the publication or use of, or reliance upon, information contained herein. This information relates only to the product designated herein, and does not relate to its use in combination with any other material or in any other process.

END OF MSDS.